





ENERGY EFFICIENT AND LOW MAINTENANCE

The fiberglass used to manufacture our pools inherently acts as a natural insulator. With less fluctuation in temperature, your filter and heater work less than they would with other types of pools.

The smooth surface of our pools naturally resists the attaching of algae which reduces the amount of chemical treatment needed for healthy water conditions.

Fiberglass pools require no re-plastering, changing vinyl liners or acid washing. Maintenance is minimal.

MODULAR OPTIONS = FLEXIBILITY


Choose from over 50 designs and shapes OR combine more than one to customize your own backyard oasis.

MAKE IT A COMBO!

Ask us how to make any compatible model into a pool spa combo.







Pictured here:

composite pools USA.com 🦳

CP-CAT-V16.indd 2-3


8/24 5:03 PM

compositepoolsUSA.com **INTRODUCING NEW MODELS & SIZES**

Please call for availability and lead time



- Auto cover ready
- Gradual slope
- Unobstructed swim lane
- Full length seating bench



- Large, rectangular pool
- Auto cover ready
- Gradual slope
- Full width stair entry
- Full width deep end seating bench
- Perimeter convenience ledge

LOUISIANA

7' wide x 14' long 1'9" to 3'6" deep

> NEW **FREEFORM** SHAPE!



features:

- Seating at various heights
- Splash pool by day, spa by night
- Standalone or combine next to any pool



UTAH 10' wide x 20' long

4' deep

NEVADA

4'6" deep

12' wide x 25' long

features:

- Small, rectangular pool
- Auto cover ready
- Constant depth/Flat bottom
- Full width stair entry



features:

- Small, rectangular pool
- Auto cover ready
- Constant depth/Flat bottom
- Full width stair entry



features:

- Small, rectangular pool
- Auto cover ready
- Constant depth/Flat bottom
- Corner stair entry
- Built in seating benches



SEE PAGE 15 FOR MORE NEW DESIGNS! NEW MEXICO POOL NOW AVAILABLE IN LARGER WIDTHS















2 1-855-464-3101 • info@compositepoolsusa.com

CP-CAT-V16.indd 4-5

A new standard in composite pool manufacturing


Detail of our proprietary

layering technology*

- 2) 100 % Vinyl Ester Resin combined with gun woving creating the best barrier coat in the industry. This layer helps protect your pool from blistering and corrosion.
- 3) 4108/41 ounces of material Our pools are made out of technologically advanced intricately woven glass fabric, some of the best materials used in the industry. It performs finish, impact and abrasion resistance, and

- 5) 4108/41 ounces of material An extra layer for maximum corrosion resistance; also heat resistant and blended for toughness.
- . 6) Chop Strand Glass We have another layer of Strand glass. Our pools are made with more reinforcement than those made by any other company.
- 7) Kevlar Added to enhance the structural strength of the fiberglass shell. Kevlar is a strong heat resistant synthetic fiber and is five times stronger than steel.
- Illustration represents our typical pool manufacturing process. Fiberglass layering, materials and structural features are designed specifically to each particular pool model, its shape, size, and areas requiring greater or less reinforced structural integrity. For more information on our process, please contact the factory.

Hydra Stone[®] is not your typical gel coat. Our solid surface gives you the best finish in the industry for a fiberglass pool. Two applications of 18 mils of coating (total of 36 mils) to ensure maintenance-free and lasting beauty.



multiple tasks such as providing a good surface structural integrity.


4) Chopped Strand Matt (CSM) - Consists of glass fibers laid randomly across each other and held together by polyester resin. This brings strength and thickness to our unique fiberglass pools.

Unique unibody design provides superior durability



- 1) Lifting and tie down placements installed.
- 2) Enclosed or reinforced coping gives it a unique unibody design.
- 3) Additional layers are added strategically on steps, walls and radius parts of the pool.
- 4) Honeycombed material for superior support and strengthening on walls, steps and coping.
- 5) Exterior proprietary sealer utilized to seal every pool from exterior moisture and ground water.









All Composite pools USA fiberglass pools are manufactured in a controlled factory environment using only the finest available materials. Every pool must pass a stringent quality control inspection prior to being shipped.

1-855-464-3101 • info@compositepoolsusa.com



√ composite pools USA. com

CONTENTS - 2024 EDITION PAGE

STRUCTURAL TECHNOLOGY......4-5

FREEFORM POOLS......9-12

INSTALLATION INFORMATION/SAFETY......20

1-855-464-3101 • info@compositepoolsusa.com

BUILT TO LAST

A LIFETIME

CP-CAT-V16.indd 6-7



Our goal is to make a pool that suits your family's budget & lifestyle

Totally Customizable Packages

DIY - AS EASY AS 1-2-3 Buy directly from the factory and save thousands!







The DIY Package

WE DELIVER THE POOL - YOU DO THE REST*

All Pools include 1 skimmer.

are optional unless specified.

Return fittings and main drains

INCLUDES:

Pool Shell

Pump

Frog mineral system

Lights

Custom and brand equipment packages available

* ASSISTANCE IS REQUIRED FOR FIRST TIME INSTALLERS: FOR YOUR WARRANTY TO BE VALID, AN EXPERIENCED PROFESSIONAL POOL INSTALLER IS REQUIRED TO HELP GUIDE YOU THROUGH INSTALLATION PROCESS.

are required to have assistance of a professional installer onsite. All DIY purchases require one-day onsite assistant for fee defined in your contract. Our professional pool installation technician will supervise setting of the pool shell into your prepared hole, and the cutting of necessary fittings.

- 2.) Shell drop; 3.) Hole base; 4.) Backfill; 5.) Plumbing;
- 7.) Bond beam and/or decking installed

1-855-464-3101 • info@compositepoolsusa.com

NOTE: For warranty to be valid, all non-professional installers

REQUIREMENTS FOR WARRANTY:

Bond beam to lock the pool in within 10 days of installation is required. DIY and Non-Dealer installations require photos of the entire installation process. For warranty to be valid you must provide photos of the following: 1.) Excavation;

- 6.) Prior to decking with rebar and wire if used bonded;

We are the only East Coast manufacturer that sells factory-direct through our independent dealer network and distribution yards. Contact us direct or visit your local dealer.

All Pools include

Return fittings and

unless specified.

main drains are optional

1 skimmer





INCLUDES:

Pool Shell

Pump

• Filter

Frog mineral system

- Lights
- Installation
- Electric done by others
- Concrete done by others

REQUIREMENTS FOR WARRANTY:

Bond beam to lock the pool in within 10 days of installation is required. DIY and Non-Dealer installations require photos of bond beam installed or concrete decking.

Turnkey Package

WE INSTALL YOUR POOL. **ELECTRICAL AND CONCRETE**

INCLUDES:

- Pool Shell
- Pump Filter
- Frog Mineral system
- Lights
- Installation
- Electric up to 50'
- 3' wide cantilever
- concrete

Additional Electric requirements that exceed 50 feet will be at additional cost based on footage.

Additional Concrete exceeding 3 foot wide cantilever will be at additional cost based on square footage.

Stamped, colored or exposed aggregate concrete or pavers available at additional cost.

Pump and filter upgrades priced per your selection.

Salt chlorinator option priced per your selection.

All Pools include 1 skimmer. Return fittings and main drains are optional unless specified.



1-855-464-3101 • info@compositepoolsusa.com


CP-CAT-V16.indd 8-9












CP-CAT-V16.indd 10-11





• Medium, unique design Shallow & deep end entry/exit points • Unobstructed swim lane

features:

Medium, freeform design

Deep end seating bench

Multiple seating benches

Perimeter convenience ledge

Gradual slope

Social pool



composite pools USA.com FREEFORM POOLS Land Control of the C

VIRGINIA 13' wide x 26' long 3'6" to 5'6" deep



- Built-in Tanning Ledge 12" deep
- Medium, freeform design
- Gradual slope
- Deep end seating bench
- Multiple seating benches
- Perimeter convenience ledge
- Social pool






- Small, freeform pool
- Wedding cake stairs
- Two swim outs
- Gradual slope

CALL US NOW: 1-855-464-3101 • Open 7 days 9 am - 5 pm • info@compositepoolsusa.com



1/18/24 5:03 PM

CP-CAT-V16.indd 12-13





features:

INDEPENDENCE

4' deep

10' wide x 17' long


Small, oval pool


• Built in steps


• Constant depth/Flat bottom

• Perimeter convenience ledge

• Built in seating benches









Our Rectangular pools add timeless elegance to your space with the simplicity of clean, straight lines. They include modern features for comfort and functionality. Plus, they maximize limited space so you get the most enjoyment out of your available square footage.

BLACK GALA



Combo



California

available in

2 sizes

Large

Built-in Spa

- Large, rectangular pool
- Large built-in spa

CALIFORNIA 40

16' wide x 40' long

3'6" to 6'8" deep


- Built-in Tanning Ledge 12" deep
- Gradual slope
- Auto cover ready
- Perimeter convenience ledge
- Wrap around deep end bench & steps

1-855-464-3101 • info@compositepoolsusa.com



1-855-464-3101 • info@compositepoolsusa.com

CP-CAT-V16.indd 14-15



1-855-464-3101 • info@compositepoolsusa.com

CP-CAT-V16.indd 16-17

Introducing the New Mexico Pool & Spa Combo

YOU CHOOSE THE ARRANGEMENT: Spa can be installed at either end; elevated or flush with pool

NEW MEXICO 10Wx28 SPA COMBO

NEW

10' wide x 28' long 4'4" deep

features:

- Versatile spa position to suit your preference
- Narrow, rectangular pool
- Auto cover ready
- Constant depth/ Flat bottom
- Tanning Ledge
- Perimeter convenience ledge
- Multiple seating benches/exit points

NEW MEXICO 10Wx20 10' wide x 20' long*

4'4" deep

NEW MEXICO 10Wx24

10' wide x 24' long* 4'4" deep

* Make it a combo!

Add the 8'x10' spa to New Mexico 10Wx24 pool to create a Pool Spa Combo 10' wide x 32' long

* The 8'x10' spa may only be combined with 10 foot wide models

New Mexico 10Wx24 with added spa becomes 32 FEET LONG

SPA INSTALLED

ELEVATED

- Small, rectangular pool
- Auto cover ready
- Constant depth/Flat bottom
- Tanning Ledge
- Perimeter convenience ledge
- Multiple seating benches/ exit points



Pictured here: **OXFORD BLUE**


SWIM+SOCIAL


compositepoolsUSA.com RECTANGULAR POOLS

ENJOY THE FLEXIBILITY OF MODULAR POOL DESIGN


A POOL AND SPA COMBO THAT ALLOWS YOU TO CONFIGURE YOUR OWN BACK YARD OASIS


NEW MEXICO W/SPA AT DEEP END





NEW MEXICO W/SPA AT SHALLOW END





SPA FLUSH

SPA INSTALLED

FLUSH

NOTE: For flush installation,

tile or stone finishing is

required at seam

1-855-464-3101 • info@compositepoolsusa.com



New Mexico Pools Now Available in Larger Widths

NEW MEXICO 12Wx24

12' wide x 24' long 4'4" deep

NEW MEXICO 14Wx30 14' wide x 30' long

4'4" deep

NEW MEXICO 16Wx35


16' wide x 35' long 4'4" deep


• Full length & width seating bench

Auto cover ready




1/18/24 5:03 PM












1-855-464-3101 • info@compositepoolsusa.com

water of the spa after an intense swim.



CP-CAT-V16.indd 18-19



CALL US NOW: 1-855-464-3101 • Open 7 days 9 am - 5 pm • info@compositepoolsusa.com



1-855-464-3101 • info@compositepoolsusa.com

composite pools USA.com INSTALLATION & SAFETY





LAYOUT & EXCAVATION: The pool layout is carefully marked on the ground for precision. The hole is dug to exacting specifications to achieve the proper shape and depth. Any drainage materials are laid and the ground is leveled and compacted for optimum support.





DELIVERY & PLACEMENT: The pool is brought in, set in place and leveled. Then the precision process of filling the pool with water while backfilling for support begins. All plumbing and electrical wiring are completed, pool pump(s) and filtration systems are installed. Each system is checked for operation and quality.





SETTING & FINISHING: Depending on the coping and deck materials chosen, poured concrete, pavers, travertine, or bricks are added to complete the installation. The pool and surrounding areas are cleaned and your beautiful new pool is complete!



1-855-464-3101 • info@compositepoolsusa.com

Fiberglass pools from CompositePoolsUSA stand out among other pools. The entire process of installation, from initial layout in your back yard to swimming in your new pool, takes only a few weeks. (Concrete and vinyl liner pools can take up to several months!) With our pools, there is less mess in your backyard with a shorter wait time to enjoy your new pool.

Best practices that are essential for safe pool operation:

- Ensure that the pool is kept in good repair and is not used when there is a missing or broken component.
- Anyone under the influence of alcohol, drugs or stimulants that would impair their abilities or judgment should not use the pool.
- Ensure that the pool is protected by appropriate barriers to unsupervised entry, including fencing with self-latching gates, covers, alarms, etc.

There are a number of items that are essential for pool safety, all of which should be installed in accordance with the manufacturer's instructions as well as state and local statutes:

- Safety ropes should remain in place at all times.
- "No Diving" signs should be placed appropriately and in accordance with directions.
- Composite Pools USA provides an area sign which must be permanently and conspicuously affixed in the pool area.
- You must have means of entry into and exit from the pool.
- You must have fencing with a self-latching gate that prevents children and pets from reaching the pool unsupervised, in accordance with local regulations.
- You must have approved drain covers to protect against suction entrapment.
- You must have the minimum required inlets and returns to ensure proper water circulation.
- Appropriate in-pool lighting should be used at night.
- Diving boards and slides require minimum depths and distances and must be installed in strict compliance with the manufacturer's specifications. If your pool is labeled "Nondiving," do not install diving equipment.

NOTICE: The specifications in this brochure were believed to be true at the time of printing. However, specifications, standared equipment and options are subject to change without notice. Lengths, widths and depths may vary up to 3%. Measurements are to the widest point on each side of the outside edge. Diving is prohibited on pools less than 8'. Composite Pools USA does not recommend diving or the use of a diving board on any pool model. In some pictures, the safety line rope and floats, and safety signage have been removed from the pool for photographic purposes. The safety line should be permanently attached at all times. We also urge you to use handrails and grab rails in accordance with the PHTA standards.

STANDARD FINISH COLORS



ASK US ABOUT CUSTOM COLORS

SKY BLUE

PREMIUM FINISH COLORS


MEDIUM BLUE

OCEAN BREEZE

PURPLE PASSION



CARIBBEAN GREEN




WHISPER WHITE


BLUE TORPEDO



ICY WATER











PEARL GREY



SHARK GREY



BLACK GALAXY

NOTE: DUE TO THE NATURAL REFLECTIVE QUALITY OF MATERIALS, COLORS SHOWN IN PRINT AND ONLINE MAY APPEAR DIFFERENT IN PERSON. To be certain of accurate color appearance, please request a material sample.

1-855-464-3101 • info@compositepoolsusa.com

composite pools USA.com

POOL FINISHES



Pictured here:

OXFORD BLUE

CP-CAT-V16.indd 22-23



SUBWAY SERIES



Black 2x4"




Frosted Night 2x4"



Frosted Sky 2x4"




Gray 2x4"



Jade 2x4"



Stratus Aqua 2x4"



Stratus White 2x4"

Blue Gray 2x4"

SEE MORE TILE CHOICES AT: uspooltile.com nptpool.com



1-855-464-3101 • info@compositepoolsusa.com


ARTISTRY GLASS BLENDS/TWILIGHT SERIES




Azure 1x1"




Azure 1x2"




Azure Mixed



Black 1x1"



Black 1x2"



Black Mixed





Turquoise 1x2"



Tuquoise Mixed

ARTISTRY GLASS/WATERCOLOR SERIES



Aqua Blend Mixed








Steel Blue Gray Mixed

Steel Blue Gray

TRADITIONAL CERAMIC BORDER TILES





Electric Blue



TITANIUM SERIES GLASS TILES







Navy Blend 1x2"

SARGASSO SERIES CERAMIC TILES



Catania Sand 6x6"



















Sargasso 6x6"

NOTE: Actual colors of water, finishes, and tile may vary from photos in printed and online material. To be certain of accurate color appearance, please request a material sample.

BAMBOO SERIES GLASS TILES





composite pools USA.com
TILE OPTIONS



FUSION MOSAIC PATTERN GLASS TILES







SEE MORE TILE CHOICES AT: uspooltile.com




MOSAICS AND CUSTOM INLAID DESIGNS

1-855-464-3101 • info@compositepoolsusa.com



CP-CAT-V16.indd 24-25 1/18/24 5:03 PM







S





FOUNTAINS AND WATERFALLS

Build the design you want... with the functionality your family needs.





SLIDES

POOL FROG® MINERAL SYSTEM

- Kills bacteria 2 ways
- Reduces chlorine use up to 50%
- Precision performance
- Prefilled packs
- 90 day algae protection

The Frog Mineral delivers sparkling crystal-clear water with little to no maintenance. The lower level of chlorine does not leave bleached clothes or a strong chemical smell. The natural minerals are safe for children and pets. The minerals are soft on your skin and easier on the pool shell.



BUBBLERS



Adding lights can make a even the most basic pool extraordinary.

Entertaining in the evening can become a magical light show.



POOL LIGHTING







1/18/24 5:03 PM






DECK JETS:

Deck jets form shimmering arcs of water from a deck or patio into a pool or spa. Deck jets can be installed in almost any combination and are adjustable up to 360°. Their dazzling effects can be easily changed to suit any mood or occasion.



SHEER DESCENTS:

These unique water features create an impressive visual effect as water flows smoothly and evenly over a sheer vertical surface; the resulting sound is peaceful and relaxing. Visually striking, sheer descents add a sense of tranquility and modern beauty.





SWIM SYSTEMS:

Aquatic exercise is one of the most beneficial forms of physical activity for individuals of any fitness level. Gentle and soothing, with little or no stress on joints or bones, swimming has historically been a favored method for staying in shape. Aquatherapy is ideal for individuals who suffer from arthritis, sports injuries, chronic illness, or obesity.







SAFETY COVERS

Winter pool safety covers provide an essential protective barrier that prevents debris from entering the pool. They're essential in preventing accidental falls into the pool, especially for households with children or pets.

Typically made from durable materials such as mesh or solid vinyl, they can withstand harsh weather conditions year after year. They also help to maintain the cleanliness and chemical balance of the pool water. By minimizing the risk of algae growth, they reduce the need for extensive seasonal cleaning.



An automatic swimming pool cover provides one touch convenience eliminating the need for manually covering and uncovering your pool. Their strength and durability can support the weight of a person or pet, preventing accidental falls into the pool.

Covering the pool when not in use helps to retain heat and reduce evaporation, lowering the cost of heating and water replacement.







CONCRETE

A poured concrete pool deck provides a smooth yet slip-resistant surface. It can be customized to suit any style preference. Concrete pool decks are low-maintenance and cost-effective. They are durable against extreme weather conditions such as heat, cold, and moisture without cracking or fading. Exposed aggregate is a popular finish achieved by adding colored stones, beads, seashells, or sea glass to the mix.



NATURAL STONE

A natural stone pool patio is a luxurious and elegant addition to any outdoor space. Made from natural stone such as travertine, bluestone, limestone, or slate, these patios provide timeless beauty and sophistication. The unique textures and colors of natural stone blend seamlessly with the surrounding landscape. Natural stone pool patios are highly durable, slip-resistant and inherently remain cool underfoot on hot summer days.



MANUFACTURED STONE PAVERS

Made from high-quality materials such as concrete or natural stone, pavers can withstand heavy foot traffic and harsh weather conditions. Their interlocking design provides stability by preventing shifting and uneven settling. Manufactured pavers come in a wide range of styles, allowing endless design possibilities. Additionally, their non-slip surface provides a safe and comfortable walking surface, reducing the risk of accidents around the pool.







RETAINING WALLS

Retaining walls are structures designed to hold back soil or other materials and prevent erosion or collapse. They are commonly used in landscaping and construction projects to create level surfaces, prevent landslides, or create usable space on sloping terrain. They can be designed to blend in with the surrounding landscape or create a focal point in a garden or outdoor space.

NATURAL STONE RETAINING WALLS

Natural material retaining walls are structures made from organic materials found in nature such as rocks, boulders, logs, or timber. Rocks and boulders are commonly used in retaining walls for their inherent ability to withstand pressure from the soil. They can be stacked or mortared together to create a sturdy, attractive and usable design element.

One of the advantages of natural material retaining walls is their ability to blend in with natural surroundings. They can be used to create terraced gardens, define pathways, or provide seating areas.





1-855-464-3101 • info@compositepoolsusa.com

CP-CAT-V16.indd 30-31





COMPOSITE POOLS USA

WHOLESALE FIBERGLASS POOLS, TRANSPORTATION & INSTALLATIONS

CORPORATE OFFICE:

870 Harding Highway, Newfield, NJ 08344

FACTORY & MAIN DISTRIBUTION YARD IN NEWFIELD, NJ AND DISTRIBUTION YARDS IN THESE LOCATIONS:

Millsboro, DE Friedensburg, PA Langhorne, PA Marietta, OH Wintersville, OH Daytona, FL
Mogadore, OH Tampa, FL
Fort Wayne, IN Houston, TX
Wilmington, NC Boulder, CO

compositepoolsUSA.com · 1-855-464-3101

info@compositepoolsusa.com



CP-CAT-V16.indd 32 1/18/24 5:03 PM